

Certificate of Compliance

*This is to certify that
Management System for Educational Organization of*

**VISWAM ENGINEERING COLLEGE
(AUTONOMOUS)**

NH 42, MADANAPALLE, ANNAMAYYA DISTRICT - 517325,
ANDHRA PRADESH, INDIA.

Has been assessed and found to conform to the requirements of

ISO 21001:2018

For the following scope:

PROVIDING EDUCATIONAL SERVICES TO UNDERGRADUATE
ENGINEERING BRANCHES INCLUDING ADMISSION, GENERAL
ADMINISTRATION & PLACEMENTS.

Certificate No	: 24EQNQ39	Issuance Date	: 29/06/2024
Initial Registration Date	: 29/06/2024		
Date of Expiry*	: 28/06/2027		
1st Surve. Due	: 29/05/2025	2nd Surve. Due	: 29/05/2026

Director



(Scan to Verify)

Assurance Quality Certification LLC

Head Office: Sharjah Media City, Sharjah, UAE. e-mail : info@aqcworld.com,

Key Location: A-60, Ground Floor, Sector-02, Noida, U.P.-201301, India.

*Validity of the Certificate is subject to successful completion of surveillance audit on or before of due date. (in case surveillance audit is not allowed to be conducted, this certificate shall be suspended/withdrawal).

Certificate Verification: Please Re-check the validity of certificate at <http://www.aqcworld.com/activeclients.aspx> or www.aqcworld.com at Active Clients.

Certificate is the property of AQC Middle East LLC and shall be returned immediately when demanded

Certificate of Registration



This is to Certify That The Quality Management System of

VISWAM ENGINEERING COLLEGE

ANGALLU, MADANAPALLE, ANNAMAYYA DISTRICT - 517325,
ANDHRA PRADESH, INDIA.

has been audited and conformed to be in accordance with the requirements of

ISO 9001:2015

The Quality Management System is Applicable to :

PROVIDING EDUCATIONAL SERVICES TO UNDERGRADUATE
ENGINEERING BRANCHES INCLUDING ADMISSION, GENERAL
ADMINISTRATION & PLACEMENTS.

Certification No.	QBB29321/R1/S1		
Initial Registration Date	: 06/04/2021	Issuance Date	: 08/11/2022
Date of Expiry*	: 06/03/2023		
Date of Re-Certification	: 05/04/2024		


Director



ACCREDITED
Management Systems
Certification Body
MSCB-174



Aambitious Assessment Pvt. Ltd.

D-9, Sector 03, Noida, Gautam Buddha Nagar, Uttar Pradesh - 201301, India.

e-mail: info@aapcertification.in, website: www.aapcertification.in

Certificate Verification: Certificate Validity can be re-checked at www.aapcertification.in

This certificate is a property of Aambitious Assessment Pvt. Ltd. and shall be returned immediately when demanded

*Validity of the certificate is subject to successful completion of surveillance audit on or before due date

ISO 9001:2015



Viswam Engineering College

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC with A-Grade
Recognized under 2(f) by UGC - An ISO 9001:2015 Certified Institution
Angallu, Madanapalle-517325, Annamayya Dist., A. P

INTERNAL QUALITY ASSURANCE CELL (IQAC) ACADEMIC AUDIT CELL (AAC)

20/07/2023

CIRCULAR

The IQAC-Academic Audit Cell is formed for ensuring quality teaching-learning process for the academic year 2023-2024.

S.No	Audit Team	Designation
1	Dr.B.D.Venkata Ramana	Dean Of R&D & HOD, ECE
2	Dr.Maheswar Reddy	Professor, ECE
3	T.Reddy Rani	Associate Prof, ECE
4	B.Keerthi	Assistant.Prof, ECE
5	B.Jyotsna	Assoc.Professor, CSE

Purpose:

To promote self-reflection/self-improvement measures among all departments being audited.

To conduct quality checks on different activities undertaken in all departments/ Students activity of the institution to meet expected outcomes.

To promote adoption of best practices and innovative methods for quality teaching learning process.


Audit Process:

Each Department will prepare a Self-Evaluation Report and submit it electronically to IQAC.

The Audit team will visit and conduct evaluation through check of documents and interaction with faculties and students.

The audit report will be prepared and will be shared to the department for corrective measures.

Non Confirmation Report (NCR) will be issued by the IQAC for authentication.


DEAN-IQAC


PRINCIPAL
PRINCIPAL
Viswam Engineering College
Angallu, Madanapalle-517325,



Viswam Engineering College

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC with A-Grade
Recognized under 2(f) by UGC - An ISO 9001:2015 Certified Institution
Angallu, Madanapalle-517325, Annamayya Dist., A. P

INTERNAL QUALITY ASSURANCE CELL (IQAC) INTERNAL ACADEMIC AUDIT CONSOLIDATED REPORT

Date: 04.06.2024 to 05.06.2024

Audited Dept.: ECE, CE, Mech, Civil, CSE, EEE

Audit Team:

S.No	Audit Team	Designation
1	Dr.B.D.Venkata Ramana	Dean Of R&D & HOD, ECE
2	Dr.Maheswar Reddy	Professor, ECE
3	T.Reddy Rani	Associate Prof, ECE
4	B.Keerthi	Assistant.Prof, ECE
5	B.Jyotsna	Assoc.Professor, CSE


Overall Observations:

Strength:

- 1.All the departments were adopted to the preparation of prerequisites for the academic process.
- 2.More than 80% of the faculty members are maintaining 3 to 5 units study materials.
- 3.Templates were circulated to the individuals.
- 4.All are keeping records as a soft copies.
- 5.Academic Calendar & Competence matrix were prepared well in advance. Workloads remained properly distributed.

Concerns:

1. CO and Mapping needs to be concentrated for effective attainments.
2. Few departments are having major deviation in the common templates.
3. Stock registers are to be maintained in the individual laboratories, even though if we have master register.
4. Login logout registers are to be maintained in all the laboratories.
5. The quality of the study materials are the biggest concern. Neatly scanned materials, detailed handwritten or typed/ self-prepared materials can be circulated among students.
6. Lesson plan of action should be realistic and as per the guidelines.
7. Question Banks must be well prepared with all CO & BT Level Mapping and Repeatability of the same during years.


DEAN- IQAC


PRINCIPAL
PRINCIPAL
Viswam Engineering College
Angallu, Madanapalle, 517325.



Viswam Engineering College

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC with A-Grade
Recognized under 2(f) by UGC - An ISO 9001:2015 Certified Institution
Angallu, Madanapalle-517325, Annamayya Dist., A. P

Minutes of the Meeting of Academic Audit Cell (Question paper setting & Evaluation)

Date:28.09.2023

A). Members Present:

1. Dr.B.D.Venkata Ramana- Dean Of R&D & HOD, ECE
2. Dr.Maheswar Reddy- Professor, ECE
3. T.Reddy Rani- Associate Prof, ECE
4. B.Keerthi- Assistant.Prof, ECE
5. B.Jyotsna- Assoc.Professor, CSE

B). Review of I / II mid Semester examination question papers:(Your observations are to be entered in the table(D) given below)

- (Observations: a) The questions are not clear or ambiguous
b) The questions are not framed to match with a particular course outcome
c) The cognitive levels ratio is not maintained
d) The questions set are not covering over the entire syllabus
e) Questions are repeated on the same topic

C). Review of Evaluation of mid semester answer scripts: (Your observations are to be entered in the table(D) given below. At least 5 answer scripts are to be verified randomly in each course)

- (Observations: a) Some questions are not evaluated
b) Marks are not entered properly inside & on first page
c) Best 3 questions are not taken for award of internal marks
d) Totaling of marks is wrong)

D) II-I

Sr. No.	Subject	Comments on question paper Setting from B	Suggestions
1	20A54302 CV&T	d	Need to cover all the topics
2	20A04301T S&S	a	Need clear view
3	20A02303T E E	b	Need to frame as per CO
4	20A04302T AC	a	Need clear view






5	20A52301 MEFA	d	Need to cover all the topics
6	20A05305 ADP	d	Need to cover all the topics

III-I

Sr. No.	Subject	Comments on question paper Setting from B	Suggestions
1	20A04501 CS	d	Need to cover all the topics
2	20A04502T DSP	d	Need to cover all the topics
3	20A0503T MPMC	d	Need to cover all the topics
4	20A04504A CAO	d	Need to cover all the topics
5	20A04509 PCPD	a	Need clear view
6	20A04510 CSP	a	Need clear view

Sr. No.	Subject	Comments on question paper Setting from B	Suggestions
1	20A04701A DSPP&A	a	Need clear view
2	20A04702B DIP	d	Need to cover all the topics
3	20A04703C CMC	d	Need to cover all the topics
4	20A52701B2 MS	a	Need clear view
5	20A04707 IIOTA	a	Need clear view
6	20A056702 S&A	a	Need clear view

Signatures:

- 1) 
- 2) 
- 3) 
- 4) 
- 5) 


HOD

HEAD
Department of ECE
Viswam Engineering College
Angallu, Madanapalle-517325.


PRINCIPAL

PRINCIPAL
Viswam Engineering College
Angallu, Madanapalle-517325.



Viswam Engineering College

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu
Accredited by NAAC with A-Grade
Recognized under 2(f) by UGC - An ISO 9001:2015 Certified Institution
Angallu, Madanapalle-517325, Annamayya Dist., A. P

Minutes of the Meeting of Academic Audit Cell
(Question paper setting & Evaluation)

Date:11.10.2023

A). Members Present:

1. Dr.B.D.Venkata Ramana- Dean Of R&D & HOD, ECE
2. Dr.Maheswar Reddy- Professor, ECE
3. T.Reddy Rani- Associate Prof, ECE
4. B.Keerthi- Assistant.Prof, ECE
5. B.Jyotsna- Assoc.Professor, CSE

B). Review of I / II mid Semester examination question papers:(Your observations are to be entered in the table(D) given below)

- (Observations: a) The questions are not clear or ambiguous
b) The questions are not framed to match with a particular course outcome
c) The cognitive levels ratio is not maintained
d) The questions set are not covering over the entire syllabus
e) Questions are repeated on the same topic

C). Review of Evaluation of mid semester answer scripts: (Your observations are to be entered in the table(D) given below. At least 5 answer scripts are to be verified randomly in each course)

- (Observations: a) Some questions are not evaluated
b) Marks are not entered properly inside & on first page
c) Best 3 questions are not taken for award of internal marks
d) Totalling of marks is wrong)

D)






Sr. No.	Subject	Roll Number	Comments on Evaluation from C	Suggestions
1	20A54302 CV&T	22W51A0403	-	-
		22W51A0407	b	Marks to be entered properly
		22W51A0413	-	-
		22W51A0417	-	-
		22W51A0431	-	-
2	20A04301T S&S	22W51A0403	-	-
		22W51A0407	-	-
		22W51A0413	d	Totalling to be checked
		22W51A0417	-	-
		22W51A0431	-	-
3	20A02303T E E	22W51A0403	-	-
		22W51A0407	-	-
		22W51A0413	-	-
		22W51A0417	-	-
		22W51A0431	d	Totalling to be checked

4	20A04302T AC	22W51A0403	-	-
		22W51A0407	-	-
		22W51A0413	-	-
		22W51A0417	b	Marks to be entered properly
		22W51A0431	-	-
5	20A52301 MEFA	22W51A0403	-	-
		22W51A0407	-	-
		22W51A0413	-	-
		22W51A0417	-	-
		22W51A0431	b	Marks to be entered properly
6	20A05305 ADP	22W51A0403	-	-
		22W51A0407	-	-
		22W51A0413	-	-
		22W51A0417	b	Marks to be entered properly
		22W51A0431	-	-

Sr. No.	Subject	Roll Number	Comments on Evaluation from C	Suggestions
1	20A04501 CS	21W51A0411	-	-
		21W51A0412	-	-
		21W51A0414	b	Marks to be entered properly
		21W51A0416	-	-
		21W51A0427	-	-
2	20A04502T DSP	21W51A0411	-	-
		21W51A0412	b	Marks to be entered properly
		21W51A0414	-	-
		21W51A0416	-	-
		21W51A0427	-	-
3	20A0503T MPMC	21W51A0411	-	-
		21W51A0412	-	-
		21W51A0414	b	Marks to be entered properly
		21W51A0416	-	-
		21W51A0427	-	-
4	20A04504A CAO	21W51A0411	-	-
		21W51A0412	-	-
		21W51A0414	-	-
		21W51A0416	b	Marks to be entered properly
		21W51A0427	-	-
5	20A04509 PCPD	21W51A0411	d	Totalling to be checked
		21W51A0412	-	-
		21W51A0414	-	-
		21W51A0416	-	-
		21W51A0427	-	-
6	20A04510 CSP	21W51A0411	-	-
		21W51A0412	-	-
		21W51A0414	d	Totalling to be checked
		21W51A0416	-	-

Sr. No.	Subject	Roll Number	Comments on Evaluation from C	Suggestions
1	20A04701A DSPP&A	21W51A0427	-	-
		20W51A0408	-	-
		20W51A0412	-	-
		20W51A0416	d	-
		20W51A0418	-	Totalling to be checked
2	20A04702B DIP	20W51A0422	-	-
		20W51A0408	-	-
		20W51A0412	b	-
		20W51A0416	-	Marks to be entered properly
		20W51A0418	-	-
3	20A04703C CMC	20W51A0422	-	-
		20W51A0408	-	-
		20W51A0412	b	Marks to be entered properly
		20W51A0416	b	Marks to be entered properly
		20W51A0418	-	-
4	20A52701B2 MS	20W51A0422	-	-
		20W51A0408	-	-
		20W51A0412	-	-
		20W51A0416	b	Marks to be entered properly
		20W51A0418	-	-
5	20A04707 IIOTA	20W51A0422	-	-
		20W51A0408	-	-
		20W51A0412	-	-
		20W51A0416	d	Totalling to be checked
		20W51A0418	-	-
6	20A056702 S&A	20W51A0422	-	-
		20W51A0408	-	-
		20W51A0412	-	-
		20W51A0416	-	-
		20W51A0418	b	Marks to be entered properly

Signatures:

- 1) 
- 2) 
- 3) 
- 4) 
- 5) 


HOD

HEAD

Department of ECE
Viswam Engineering College
Angallu, Madanapalle-517325.


PRINCIPAL

Viswam Engineering College
Angallu, Madanapalle-517325